

Discount Code 2.9 for osCommerce 2.2 (full installation package)

1. Perform the SQL query to your osCommerce database.

```
CREATE TABLE `customers_to_discount_codes` (  
  `customers_id` int(11) NOT NULL default '0',  
  `discount_codes_id` int(11) NOT NULL default '0',  
  KEY `customers_id` (`customers_id`),  
  KEY `discount_codes_id` (`discount_codes_id`)  
);  
  
CREATE TABLE `discount_codes` (  
  `discount_codes_id` int(11) NOT NULL auto_increment,  
  `products_id` text,  
  `categories_id` text,  
  `manufacturers_id` text,  
  `excluded_products_id` text,  
  `customers_id` text,  
  `orders_total` tinyint(1) NOT NULL default '0',  
  `order_info` tinyint(1) NOT NULL default '0',  
  `discount_codes` varchar(8) NOT NULL default '',  
  `discount_values` varchar(8) NOT NULL default '',  
  `minimum_order_amount` decimal(15,4) NOT NULL default '0.0000',  
  `expires_date` date NOT NULL default '0000-00-00',  
  `number_of_orders` int(4) NOT NULL default '0',  
  `number_of_use` int(4) NOT NULL default '0',  
  `number_of_products` int(4) NOT NULL default '0',  
  `status` tinyint(1) NOT NULL default '1',  
  PRIMARY KEY (`discount_codes_id`)  
);
```

2. Copy the new files from the catalog/ folder to your osCommerce shop:

```
catalog/includes/modules/order_total/ot_discount.php  
catalog/includes/languages/english/modules/order_total/ot_discount.php  
catalog/admin/discount_codes.php  
catalog/admin/includes/languages/english/discount_codes.php  
catalog/admin/includes/languages/english/images/buttons/button_new_discount_code.gif
```

3. Modify the catalog/includes/application_top.php file.

Add to the end of the file:

```
// Discount Code 2.9 - start  
if (MODULE_ORDER_TOTAL_DISCOUNT_STATUS == 'true') {  
  if (!tep_session_is_registered('sess_discount_code'))  
tep_session_register('sess_discount_code');  
  if (!empty($HTTP_GET_VARS['discount_code'])) $sess_discount_code =  
tep_db_prepare_input($HTTP_GET_VARS['discount_code']);  
  if (!empty($HTTP_POST_VARS['discount_code'])) $sess_discount_code =  
tep_db_prepare_input($HTTP_POST_VARS['discount_code']);  
}  
// Discount Code 2.9 - end
```

4. Modify the catalog/includes/database_tables.php file.

Add to the end of the file:

```
// Discount Code 2.9 - start  
define('TABLE_CUSTOMERS_TO_DISCOUNT_CODES', 'customers_to_discount_codes');  
define('TABLE_DISCOUNT_CODES', 'discount_codes');  
// Discount Code 2.9 - end
```

5. Modify the catalog/includes/languages/english.php file.

Add to the end of the file:

```
// Discount Code 2.9 - start  
define('TEXT_DISCOUNT', 'Discount');  
define('TEXT_DISCOUNT_CODE', 'Discount Code');
```

```
// Discount Code 2.9 - end
```

6. Modify the catalog/checkout_payment.php file.

Find:

```
<?php
    $radio_buttons++;
}
?>

        </table></td>
    </tr>
</table></td>
</tr>
<tr>
    <td><?php echo tep_draw_separator('pixel_trans.gif', '100%', '10'); ?></td>
</tr>
```

Add after:

```
<?php
// Discount Code 2.9 - start
if (MODULE_ORDER_TOTAL_DISCOUNT_STATUS == 'true') {
?>
    <tr>
        <td><table border="0" width="100%" cellspacing="0" cellpadding="2">
            <tr>
                <td class="main"><b><?php echo TEXT_DISCOUNT_CODE; ?></b></td>
            </tr>
        </table></td>
    </tr>
    <tr>
        <td><table border="0" width="100%" cellspacing="1" cellpadding="2" class="infoBox">
            <tr class="infoBoxContents">
                <td><table border="0" width="100%" cellspacing="0" cellpadding="2">
                    <tr>
                        <td class="main"><?php echo tep_draw_input_field('discount_code',
$sess_discount_code, 'size="10"'); ?></td>
                    </tr>
                </table></td>
            </tr>
        </table></td>
    </tr>
    <tr>
        <td><?php echo tep_draw_separator('pixel_trans.gif', '100%', '10'); ?></td>
    </tr>
<?php
}
// Discount Code 2.9 - end
?>
```

7. Modify the catalog/checkout_process.php file.

Find:

```
//-----insert customer choosen option eof ----
    $total_weight += ($order->products[$i]['qty'] * $order->products[$i]['weight']);
    $total_tax += tep_calculate_tax($total_products_price, $products_tax) * $order->products[$i]
['qty'];
    $total_cost += $total_products_price;

    $products_ordered .= $order->products[$i]['qty'] . ' x ' . $order->products[$i]['name'] . ' (' .
$order->products[$i]['model'] . ') = ' . $currencies->display_price($order->products[$i]
['final_price'], $order->products[$i]['tax'], $order->products[$i]['qty']) .
$products_ordered_attributes . "\n";
}
```

Add after:

```
// Discount Code 2.9 - start
if (MODULE_ORDER_TOTAL_DISCOUNT_STATUS == 'true') {
```

```

        if (!empty($discount)) {
            $discount_codes_query = tep_db_query("select discount_codes_id from " . TABLE_DISCOUNT_CODES .
" where discount_codes = '" . tep_db_input($sess_discount_code) . "'");
            $discount_codes = tep_db_fetch_array($discount_codes_query);
            tep_db_perform(TABLE_CUSTOMERS_TO_DISCOUNT_CODES, array('customers_id' => $customer_id,
'discount_codes_id' => $discount_codes['discount_codes_id']));
            tep_db_query("update " . TABLE_DISCOUNT_CODES . " set number_of_orders = number_of_orders + 1
where discount_codes_id = '" . (int)$discount_codes['discount_codes_id'] . "'");

            tep_session_unregister('sess_discount_code');
        }
    }
}
// Discount Code 2.9 - end

```

8. Modify the catalog/includes/modules/order_total/ot_tax.php file.

Find:

```

function process() {
    global $order, $currencies;

    reset($order->info['tax_groups']);
    while (list($key, $value) = each($order->info['tax_groups'])) {

```

Replace with:

```

function process() {
    global $order, $currencies, $tax_discount; // Discount Code 2.9

    reset($order->info['tax_groups']);
    while (list($key, $value) = each($order->info['tax_groups'])) {
        if (!empty($tax_discount[$key])) $value -= $tax_discount[$key]; // Discount Code 2.9
    }
}

```

9. Modify the catalog/logoff.php file.

Find:

```

tep_session_unregister('comments');

```

Add after:

```

// Discount Code 2.9 - start
if (MODULE_ORDER_TOTAL_DISCOUNT_STATUS == 'true' &&
tep_session_is_registered('sess_discount_code')) {
    tep_session_unregister('sess_discount_code');
}
// Discount Code 2.9 - end

```

10. Modify the catalog/admin/includes/database_tables.php file.

Add to the end of the file:

```

// Discount Code 2.9 - start
define('TABLE_CUSTOMERS_TO_DISCOUNT_CODES', 'customers_to_discount_codes');
define('TABLE_DISCOUNT_CODES', 'discount_codes');
// Discount Code 2.9 - end

```

11. Modify the catalog/admin/includes/filenames.php file.

Add to the end of the file:

```

define('FILENAME_DISCOUNT_CODES', 'discount_codes.php'); // Discount Code 2.9

```

12. Modify the catalog/admin/includes/languages/english.php file.

Add to the end of the file:

```

// Discount Code 2.9 - start
define('BOX_CATALOG_DISCOUNT_CODE', 'Discount Codes');

```

```
define('TEXT_DISPLAY_NUMBER_OF_DISCOUNT_CODES', 'Displaying <b>%d</b> to <b>%d</b> (of <b>%d</b>
discount codes)');
define('IMAGE_NEW_DISCOUNT_CODE', 'New Discount Code');
// Discount Code 2.9 - end
```

13. Modify the catalog/admin/includes/boxes/catalog.php file.

Find:

```
'<a href="' . tep_href_link(FILENAME_SPECIALS, '', 'NONSSL') . '"
class="menuBoxContentLink">' . BOX_CATALOG_SPECIALS . '</a><br>' .
```

Add after:

```
'<a href="' . tep_href_link(FILENAME_DISCOUNT_CODES, '',
'NONSSL') . '" class="menuBoxContentLink">' . BOX_CATALOG_DISCOUNT_CODE . '</a><br>' . // Discount
Code 2.9
```

14. Install the module under Administration -> Modules -> Order Total -> Discount Code.

15. Set the sort order for order total modules under Administration -> Modules -> Order Total.

Modules	Sort Order
Discount Code	2
Shipping	3
Sub-Total	1
Tax	4
Total	5

PayPal Express Checkout (Signature: paypal|paypal_express|1.0|2.2)

1. Modify the catalog/includes/modules/payment/paypal_express.php file.

Find:

```
function checkout_initialization_method() {
    global $language;

    if (file_exists(DIR_FS_CATALOG . 'ext/modules/payment/paypal/images/btn_express_' .
basename($language) . '.gif')) {
        $image = 'ext/modules/payment/paypal/images/btn_express_' . basename($language) . '.gif';
    } else {
        $image = 'ext/modules/payment/paypal/images/btn_express.gif';
    }

    $string = '<a href="' . tep_href_link('ext/modules/payment/paypal/express.php', '', 'SSL') .
'"></a>';

    return $string;
}
```

Replace with:

```
// Discount Code - start
/*
function checkout_initialization_method() {
    global $language;

    if (file_exists(DIR_FS_CATALOG . 'ext/modules/payment/paypal/images/btn_express_' .
basename($language) . '.gif')) {
```

```

        $image = 'ext/modules/payment/paypal/images/btn_express_' . basename($language) . '.gif';
    } else {
        $image = 'ext/modules/payment/paypal/images/btn_express.gif';
    }

    $string = '<a href="' . tep_href_link('ext/modules/payment/paypal/express.php', '', 'SSL') .
'"></a>';

    return $string;
}
*/
// Discount Code - end

```

PayPal Website Payments Standard (Signature: paypal|paypal_standard|1.0|2.2)

1. Modify the catalog/includes/modules/payment/paypal_standard.php file.

Find:

```

function process_button() {
    global $customer_id, $order, $sendto, $currency, $cart_PayPal_Standard_ID, $shipping;

```

Replace with:

```

function process_button() {
    global $customer_id, $order, $sendto, $currency, $cart_PayPal_Standard_ID, $shipping,
$discount; // Discount Code

```

2. Find:

```

        'amount' => $this->format_raw($order->info['total'] - $order-
>info['shipping_cost'] - $order->info['tax']),

```

Replace with:

```

        'amount' => $this->format_raw($order->info['total'] - $order-
>info['shipping_cost'] - $order->info['tax'] + (empty($discount) ? 0 : $discount)), // Discount Code

```

3. Find:

```

    if (is_numeric($sendto) && ($sendto > 0)) {

```

Add before:

```

// Discount Code - start
if (!empty($discount)) {
    $parameters['discount_amount'] = $this->format_raw($discount);
}
// Discount Code - end

```